



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT9350172

SITENAME Fondali da Punta Pezzo a Capo dell'Armi

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type	1.2 Site code Back to top
B	IT9350172

1.3 Site name

Fondali da Punta Pezzo a Capo dell'Armi

1.4 First Compilation date	1.5 Update date
1995-05	2013-10

1.6 Respondent:

Name/Organisation: Regione Calabria – Dipartimento Politiche dell'Ambiente
Address: Viale Isonzo 414 - 88100 Catanzaro
Email: dipartimento.ambiente@pec.regione.calabria.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-09
Date site confirmed as SCI:	No data
Date site designated as SAC:	2017-06

National legal reference of SAC designation:	DM 27/06/2017 - G.U. 166 del 18-07-2017
--	---

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude

15.631389

Latitude

38.075556

2.2 Area [ha]:

1812.0

2.3 Marine area [%]

100.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITF6

Calabria

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1110B			180.74			A	C	B	B
1120B			271.11			B	C	B	B
1170B			361.49			B	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not

- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
R	1224	Caretta caretta			c				P	DD	B	B	C	B
I	1047	Cordulegaster trinacriae			p				P	DD	B	B	A	B
M	1349	Tursiops truncatus			c				P	DD	B	C	C	B

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

[illegible]

P		ochroleuca						P						X
I		Paracentrotus lividus						P						X
P		Phyllariopsis brevipes						P						X
I	1028	Pinna nobilis						P	X					
P		Sacchoriza polyschides						P						X
M	2034	Stenella coeruleoalba						P	X					
P		Ulva olivascens						P						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N01	100.0
Total Habitat Cover	100

Other Site Characteristics

Le caratteristiche morfologiche, granulometriche e tessiturali della spiaggia sono il prodotto di una combinazione tra diversi processi, il clima, il reticolo fluviale, apporto detritico, assetto geologico-strutturale. L'assetto geologico-strutturale in presenza di un efficiente reticolo idrografico che trasporta rapidamente i sedimenti sulla spiaggia, influenza notevolmente le caratteristiche granulometriche e litologiche della spiaggia. La spiaggia dalla larghezza variabile da pochi metri a circa un centinaio negli ultimi decenni ha subito un diffuso degrado, le ampie distese di Posidonia oceanica che caratterizzano il sito.

4.2 Quality and importance

Ampio tratto di prateria di Posidonia, cenosi climax ad alta biodiversità, importante nursery per pesci anche di interesse commerciale e per la salvaguardia dell'erosione costiera, l'habitat che ne costituisce la ragione istitutiva è 1120* Praterie di Posidonia, la percentuale di copertura riportata è del 40%, la profondità varia dai 5 m ai 50 m. Il sito è dunque, da considerare importante per la presenza di sporadiche praterie di Posidonia (habitat 1120*), per la presenza di coralligeno (habitat 1170), per l'habitat 1110 e per la presenza di specie protette secondo gli allegati di altre Direttive o Convenzioni internazionali e per la presenza di specie peculiari, dovuta al peculiare regime delle acque dello Stretto di Messina. I valori % di copertura e la valutazione degli Habitat 1110, 1160 e 1170 sono delle stime che necessitano indagini dirette.

4.3 Threats, pressures and activities with impacts on the site

4.4 Ownership (optional)

Type	[%]

Public	National/Federal	0
	State/Province	0
	Local/Municipal	0
	Any Public	100
Joint or Co-Ownership		0
Private		0
Unknown		0
sum		100

4.5 Documentation

Manuale di metodologie di campionamento e studio del benthos marino Mediterraneo, Biol. Mar. Medit., 10 (Suppl.); MINISTERO DELL'AMBIENTE E DELLA TUTELA DEL TERRITORIO - Direzione per la Protezione della Natura, 2004, "Mappatura delle praterie di Posidonia oceanica e di altre fanerogame marine lungo le coste della Campania e della Calabria e delle isole minore circostanti" Mingozi T., Masciari G., Paolillo G., Pisani B., Russo M., Massolo A. 2007. Discovery of a regular nesting area of loggerhead turtle Caretta caretta in southern Italy: a new perspective for National conservation. Biod. Conserv. 16: 3519-3541. GIACOBBE S., RINELLI P., SPANÒ N., (1996) - Echinodermi e Crostacei Decapodi in fondi mobili litorali del versante calabro dello Stretto di Messina, Biol. Mar. Medit., 3 (1): 72-77; MALTAGLIATI F., LARDICCI C., CURINI GALLETTI M., CASTELLI A., BENEDETTI CECCHI L., AIROLDI L., ABBIATI M., (1995) – Osservazioni sui popolamenti bentonici presenti lungo la costa calabra dello Stretto di Messina, Biol. Mar. Medit., 2 (2): 391-392; ZAMPINO D., DI MARTINO V., 2000, Presentazione cartografica dei popolamenti a Laminariales dello Stretto di Messina, Biol. Mar. Medit., 7 (1): 599-602; A.A.V.V., 2001, "Rilevamento e caratterizzazione della flotta peschereccia che opera in aree marine protette, Relazione finale", Unimar, Roma.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT00	100.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Provincia di Reggio Calabria
Address:	Piazza Italia - 89124 Reggio Calabria
Email:	protocollo@pec.provincia.rc.it

6.2 Management Plan(s):

An actual management plan does exist:

☒ Yes	Name: Servizio di supporto nella predisposizione del Piano di gestione dei siti Natura 2000 sul territorio della Provincia di Reggio Calabria. Documento definitivo di Piano e allegati. Provincia di Reggio Calabria, 2007. Link: http://www.regione.calabria.it/index.php?option=com_frontpage&Itemid=1
☐ No, but in preparation	
☐ No	

6.3 Conservation measures (optional)

da proporre

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

☐

Yes

☒

No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

120 I SO - 120 II NO 1:25000 Gauss-Boaga